

Test Report

No.SDHL241202392601FT

Date: Jan 08, 2025

Page 1 of 4

FOSHAN OFIEXPERTS FURNITURE CO.,LTD 3RD FLOOR, BUILDING 2, NO. 16 YUANNAN 2ND ROAD, SHAZUI SECTION, JIUJIANG INDUSTRIAL PARK, NANHAI DISTRICT, FOSHAN,GUANGDONG,CHINA.

Sample Description : OFFICE CHAIR Item No. : MC05-AS(THIN)

Manufacturer : FOSHAN OFIEXPERTS FURNITURE CO.,LTD

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability,

reliability or/and integrity accordingly.

Sample Receiving Date : Dec 13, 2024

Test Performing Date : Dec 17, 2024 to Jan 08, 2025

Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments		
1	Clause 5, 7, 11.3, 12, 13, 14 and 15 of ANSI/BIFMA X5.1-2017 (R2022)	PASS	1		
For further details, please refer to the following page(s)					

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Mario Leurg

Marco Leung Authorized Signatory



Verification:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force were cising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ags.com"

or email: CN_Doccheck@sgs.com 1-12F, Bullding 1, European Industrial Part, Mo.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86—757)22805888 www.sgsgroup.com.cn 中国・广东・佛山市順徳区大良街道办事处五沙社区居民委员会順和南路1号欧洲工业园一号厂房首层、二层 鄭緒: 528300 t (86—757)22805888 sgs.china@sgs.com



Test Report

No.SDHL241202392601FT

Page 2 of 4

TESTS AND RESULTS

Date: Jan 08, 2025

Test Conducted:

Clause 5, 7, 11.3, 12, 13, 14 and 15 of ANSI/BIFMA X5.1-2017 (R2022) General-Purpose Office Chairs.

No. of Sample:

2 pieces. For more sample information and pictures, please refer to the following page.

Chair Type:	⊠ Type I. Tilting chair	
	☐ Type II. Fixed seat angle, tilting backrest	
	☐ Type III. Fixed seat angle, fixed backrest	

Test and Requirements	Test Results			
5 Backrest Strength Test - Static - Type I and II				
Functional Load				
Force: 667 N (150 lbf.) for one minute.	PASS			
Acceptance level: There shall be no loss of serviceability to the chair.				
Proof Load				
Force: 1001 N (225 lbf.) for one minute.	PASS			
Acceptance level: There shall be no sudden and major change in the structural integrity	F A33			
of the chair. Loss of serviceability is acceptable.				
7 Drop Test – Dynamic				
Functional Load Test				
A test bag weighting 102 kg (225 lb.) shall be raised 152 mm (6 in.) above the				
uncompressed seat and released one time (For chairs with seat height adjustment	PASS			
features, tested both in highest and lowest position).				
Acceptance level: There shall be no loss of serviceability.				
Proof Load Test				
A test bag weighting 136 kg (300 lb.) shall be raised 152 mm (6 in.) above the				
uncompressed seat and released one time (For chairs with seat height adjustment	PASS			
features, tested both in highest and lowest position).	1 700			
Acceptance level: There shall be no sudden and major change in the structural integrity				
of the chair. Loss of serviceability is acceptable.				
11 Stability Tests				
11.3.1 Rear Stability Test for Type III Chairs				
Load the chair with 6 disks.				
• F = 0.1964 (1195 – H) Newton. H is the seat height in mm.				
• [F = 1.1 (47 – H) pounds force.]. H is the seat height in inches.	PASS			
For chairs with seat height equal to or greater than 710 mm (28.0 in.), a fixed force of 93				
N (20.9 lbf.) shall be applied.				
Acceptance level: The chair shall not tip over.				
11.3.2 Rear Stability Test for Type I and II Chairs				
Load the chair with 13 disks.	PASS			
Acceptance level: The chair shall not tip over.				
12 Arm Strength Test - Vertical – Static				
Functional Load				
Force: 750 N (169 lbf.) for one minute.				
Acceptance level: There shall be no loss of serviceability. For a height adjustable arm,	PASS			
failure to hold its height adjustment position to within 6 mm (0.25 in.) from its original set				
position as the result of the loading is considered a loss of serviceability.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck(図egs.com

1-2F, Bulding 1, European Industrial Park, No.1, Shumhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn
中国・广东・保山市順德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



Test Report No.SDHL241202392601FT Date: Jan 08, 2025 Page 3 of 4

Test and Requirements	Test Results			
Proof Load				
Force: 1125 N (253 lbf.) for 15 seconds.				
Acceptance level: There shall be no sudden and major change in the structural integrity	PASS			
of the chair. For a height adjustable arm, a sudden drop in height of greater than 25 mm				
(1 in.) does not meet this requirement. Loss of serviceability is acceptable.				
13 Arm Strength Test - Horizontal – Static				
Functional Load				
Force: 445 N (100 lbf.) for one minute in the outward direction.	PASS			
Acceptance level: A functional load applied once shall cause no loss of serviceability.				
Proof Load				
Force: 667 N (150 lbf.) for 15 seconds in the outward direction.	PASS			
Acceptance level: A proof load applied once shall cause no sudden and major change in	1 400			
the structural integrity of the unit. Loss of serviceability is acceptable.				
14 Backrest Durability Test - Cyclic - Type I				
Weight on seat: 109 kg (240 lbs.)				
Load on backrest: 445 N (100 lbf.)	PASS			
Cycles: 120,000	F A33			
Rate: Between 10 and 30 cycles per minute.				
Acceptance level: There shall be no loss of serviceability.				
15 Backrest Durability Test - Cyclic - Type II and III				
Weight on seat: 109 kg (240 lbs.)				
Load on backrest: 334 N (75 lbf.)	PASS			
Cycles: 120,000	1 400			
Rate: Between 10 and 30 cycles per minute.				
Acceptance level: There shall be no loss of serviceability.				

Remark:

For the sample information and pictures, please refer to the following page.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

1-2/F., Building I, European Industrial Park, No. 1, Shunhe South Road, Wusha, Dallang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn 中国·广东·佛山市順德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



Test Report

No.SDHL241202392601FT

Date: Jan 08, 2025

Page 4 of 4

SAMPLE INFORMATION AND PICTURES

Weight: 16.7 kg

Overall Dimensions: 692 mm D x 727 mm W x (1166~1314) mm H

Other Dimensions: Base radius 350 mm

Sample as Received









Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ags.com"

1-2/F., Building I, European Industrial Park, No. 1, Shunhe South Road, Wusha, Dallang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn